

The Lotion P50 range

PRECAUTIONS TO BE TAKEN WHEN USING THE LOTION P50 RANGE

- LOTION P50 is for **external use only**.
- Do not apply LOTION P50 to **excoriated, irritated skin or to skin with open wounds and burns**.
- Never use LOTION P50 during an acid **vitamin A** treatment or during treatment with products containing Alpha-Hydroxy Acids (glycolic acids or others).
- Do not use LOTION P50 for **at least one month after facial surgery**. Consult your doctor before using it again.
- Do not use LOTION P50 immediately after a **skin peel or medical laser** treatment. Consult your doctor before using it again.
- Keep this product **away from children** and never use it on them.



THESE PRODUCTS ARE ACTIVE AND CAN CAUSE A VARIETY OF REACTIONS - THERE IS NO NEED FOR ALARM

- When the Lotion is applied you may experience **slight tingling and red blemishes**. These reactions **reveal an epidermal imbalance**. They may occur even though you have been using the Lotion for a long time. These symptoms **indicate that the product is active**, but are short lived.
- **Your epidermis may react for a few days when you first use this product**. Some retentional elements may occur. These reactions are perfectly normal and prove that the product is taking action.
- The full impact of the Lotion's **purifying powers** will be felt on seborrheic skins. These skins will probably be more shiny than usual in the first week. Applying Masque Vivant two or three times a week will reduce the shine.

BIOLOGIQUE
RECHERCHE